


C.I.P.**9 x 22 MJR**

TAB. IV

Datum 93-12-13

Revision 08-09-23

Ursprungsland: AT

**PATRONE MAXI****Längen**

| | | | |
|--------------------|---|-------|-------|
| L1 ¹⁾ * | = | 14.95 | -0.20 |
| L2 ¹⁾ * | = | 16.81 | -0.20 |
| L3 ¹⁾ | = | 22.00 | |
| L4 | = | | |
| L5 | = | | |
| L6 | = | 29.00 | |

Hülsenboden

| | | | |
|-------|---|-------|--|
| R | = | 1.40 | |
| R1 | = | 10.77 | |
| R3 | = | | |
| E | = | 3.52 | |
| E1 | = | 8.81 | |
| e min | = | 1.14 | |
| delta | = | 45° | |
| f | = | 0.51 | |
| beta | = | 35° | |

Pulverkammer

| | | | |
|--------------------|---|-------|-------|
| P1 | = | 10.77 | |
| P2 ¹⁾ * | = | 10.74 | -0.20 |

Schulterkonus

| | | | |
|--------|---|-----------|--|
| alpha | = | 31°31'27" | |
| S | = | 33.98 | |
| r1 min | = | 0.50 | |
| r2 | = | 0.50 | |

Hülsenhals

| | | | |
|------------------|---|------|--|
| H1 * | = | 9.69 | |
| H2 ¹⁾ | = | 9.68 | |

Geschoss

| | | | |
|--------------------|---|-------|--|
| G1 ¹⁾ | = | 9.03 | |
| G2 | = | | |
| F | = | | |
| L3+G ¹⁾ | = | 28.10 | |

Drücke (Energien)**Mech. elektr. Wandler**

| | | | |
|------|---|----------|--|
| Pmax | = | 2550 bar | |
| PK | = | 2933 bar | |
| PE | = | 3315 bar | |
| M | = | 12.50 | |

Verschiedene Daten

| | | | |
|--------------------|---|------|--|
| Fe ¹⁾³⁾ | = | 0.20 | |
| delta L | = | | |

PATRONENLAGER MINI**Längen**

| | | | |
|------------------|---|-------|--|
| L1 * | = | 14.92 | |
| L2 * | = | 16.70 | |
| L3 ¹⁾ | = | 22.15 | |

Stoßboden

| | | | |
|----|---|-------|--|
| R | = | | |
| R1 | = | 10.88 | |
| R2 | = | | |
| R3 | = | | |
| r | = | | |

Pulverkammer

| | | | |
|------------------|---|-------|--|
| E | = | 3.52 | |
| P1 ¹⁾ | = | 10.82 | |
| P2 * | = | 10.76 | |

Schulterkonus

| | | | |
|---------------------|---|-----------|--|
| alpha ¹⁾ | = | 31°22'48" | |
| S | = | 34.07 | |
| r1 max | = | | |
| r2 | = | | |

Hülsenhals

| | | | |
|------------------|---|------|--|
| H1 * | = | 9.76 | |
| H2 ¹⁾ | = | 9.75 | |

Geschossübergang


| | | | |
|--------------------|---|----------|--|
| G1 ¹⁾ * | = | 9.05 | |
| G ¹⁾ * | = | 6.10 | |
| alpha1 | = | 90° | |
| h | = | 0.35 | |
| s * | = | 2.75 | |
| i ¹⁾ | = | 1°57'58" | |
| w | = | | |

Lauf

| | | | |
|-------------------|---|------|--|
| F ¹⁾ * | = | 8.82 | |
| Z ¹⁾ | = | 9.02 | |

Züge

| | | | |
|---|---|--------|-----------------|
| b | = | 2.49 | |
| N | = | 6 | |
| u | = | 250.00 | |
| Q | = | 62.61 | mm ² |



Maßstab 1.33:1

Maße in << mm >>
Maße und Toleranzen für Messläufe
siehe Anhang CR 1.

Bemerkungen: 1) Kontrolle aus Sicherheitsgründen
3) Verschlussabstand an Schulter
* Grundmaße