

C.I.P.**41 Long Colt**

TAB. IV

Date 84-06-14

Pays d'origine: US

Révision 00-06-07

CARTOUCHE MAXI**CHAMBRE MINI****Longueurs**

L1	=	
L2	=	
L3 ¹⁾	=	28.70
L4	=	
L5	=	
L6	=	36.19

Longueurs

L1	=	
L2	=	
L3 ¹⁾	=	39.83

Culot

R ¹⁾	=	1.45	-0.25
R1	=	11.18	
R3	=		
E	=		
E1	=		
e min	=		
δ	=		
f	=		
β	=		

Cuvette

R ¹⁾	=	1.52
R1	=	11.28
R2	=	
R3	=	
r	=	

Chambre à poudre

P1	=	10.43
P2	=	

Chambre à poudre

E	=	
P1 ¹⁾	=	10.49
P2	=	

Cône de raccordement

α	=	
S	=	
r1 min	=	
r2	=	

Cône de raccordement

α	=	
S	=	
r1 max	=	
r2	=	

Collet

H1	=	
H2 ¹⁾	=	10.39

Collet

H1	=	
H2 ¹⁾	=	10.42

Projectile

G1 ¹⁾	=	9.86
G2	=	
F	=	
L3+G ¹⁾	=	31.29

Prise de rayures

G1 ^{1)*}	=	10.29
G ¹⁾	=	2.59
α1 [*]	=	7°40'12"
h	=	0.97
s	=	
i ^{1)*}	=	4°34'59"
w	=	

Pressions (Énergies)**Méthode transducteur**

Pmax	=	900 bar
PK	=	1035 bar
PE	=	1170 bar
M	=	12.50

Canon



F ^{1)*}	=	10.03
Z ¹⁾	=	10.19

Rayures

b	=	3.61
N	=	6
u	=	406.00
Q	=	80.78 mm ²

Autres indications

Fe ¹⁾	=	0.25
delta L	=	



Échelle 1:1

Dimensions en << mm >>
Dimensions et tolérances pour les canons
d'épreuve: Voyez Annexe .

Notes: 1) A' contrôler pour la sécurité
* Dimensions de base