

**C.I.P.****12 x 35**

TAB.


VI

Datum

06-05-16

Revision

Ursprungsland: DE

**PATRONE MAXI****Längen**

|                  |   |       |
|------------------|---|-------|
| L1 <sup>1)</sup> | = | 22.22 |
| L2               | = | 26.38 |
| L3               | = | 34.80 |
| L4               | = |       |
| L5               | = |       |
| L6               | = | 34.80 |

**Hülsenboden**

|       |   |       |
|-------|---|-------|
| R     | = | 1.37  |
| R1    | = | 12.01 |
| R3    | = |       |
| E     | = | 3.86  |
| E1    | = | 10.39 |
| e min | = | 1.40  |
| delta | = | 36°   |
| f     | = | 0.47  |
| beta  | = | 45°   |

**Pulverkammer**

|                    |   |       |
|--------------------|---|-------|
| P1                 | = | 11.98 |
| P2 <sup>1)</sup> * | = | 11.75 |

**Schulterkonus**

|         |   |       |
|---------|---|-------|
| alpha * | = | 40°   |
| S *     | = | 38.35 |
| r1 min  | = | 0.75  |
| r2      | = | 3.20  |

**Hülsenhals**

|                  |   |      |
|------------------|---|------|
| H1 *             | = | 8.72 |
| H2 <sup>1)</sup> | = | 8.72 |

**Volumen [cm<sup>3</sup>]**

|      |   |       |
|------|---|-------|
| VC   | = | 3.073 |
| Va 1 | = |       |
| Va 2 | = |       |

**Drücke (Energien)****Mech. elektr. Wandler [Va1]**

|      |   |          |
|------|---|----------|
| Pmax | = | 1150 bar |
| PK   | = | 1323 bar |
| PE   | = | 1495 bar |
| M    | = |          |

**Verschiedene Daten**

|         |   |  |
|---------|---|--|
| Fe      | = |  |
| delta L | = |  |

**PATRONENLAGER MINI****Längen**

|                  |   |       |
|------------------|---|-------|
| L1               | = | 22.40 |
| L2               | = | 26.52 |
| L3 <sup>1)</sup> | = | 35.00 |

**Stoßboden**

|    |   |       |
|----|---|-------|
| R  | = |       |
| R1 | = | 12.03 |
| R2 | = |       |
| R3 | = |       |
| r  | = |       |

**Pulverkammer**

|                  |   |       |
|------------------|---|-------|
| E                | = | 3.86  |
| P1 <sup>1)</sup> | = | 12.00 |
| P2 *             | = | 11.80 |

**Schulterkonus**

|                       |   |       |
|-----------------------|---|-------|
| alpha <sup>1)</sup> * | = | 40°   |
| S                     | = | 38.61 |
| r1 max                | = |       |
| r2                    | = |       |

**Hülsenhals**

|                  |   |      |
|------------------|---|------|
| H1 *             | = | 8.80 |
| H2 <sup>1)</sup> | = | 8.80 |

**Geschossübergang**


|         |   |      |
|---------|---|------|
| G1      | = | 8.80 |
| G       | = |      |
| alpha 1 | = | 180° |
| h       | = |      |
| s       | = |      |
| i       | = |      |
| w       | = |      |

**Lauf**

|   |   |       |
|---|---|-------|
| F | = | 16.00 |
| Z | = | 16.00 |

**Volumen [cm<sup>3</sup>]**

|       |   |       |
|-------|---|-------|
| V(ET) | = | 3.329 |
| V(T)  | = |       |



Maßstab 1.14:1

Maße in << mm >>  
Maße und Toleranzen für Messläufe  
siehe Anhang CR 3.

Bemerkungen: 1) Kontrolle aus Sicherheitsgründen  
\* Grundmaße